

Pacific Syndromic Surveillance -- weekly report

Year: 2011

Week: 2

ending 16-Jan-2011

Country	Last update received	No. of sites reporting / total no. of sites	Acute fever and rash (AFR)	Diarrhoea		Influenza-like illness (ILI)		Prolonged Fever	
			Sudden onset of fever with acute nonblistering rash	3 or more loose or watery stools in 24 hrs	Trend	Sudden onset of fever, plus: cough and/or sore throat	Trend	Any fever lasting 3 days or longer	Trend
American Samoa									
Cook Islands	18/01/2011	1/1	0	1	—	0	—	0	—
Fed. States of Micronesia	19/01/2011	2/2	0	10	—	15	↑	0	—
Fiji	20/01/2011	2/14	2	17	↓	26	↓	0	↓
French Polynesia	20/01/2011	17/30	0	45	↑	21	↓	2	—
Guam	18/01/2011	1/1		8	↑	9	↑		
Kiribati	19/01/2011	1/1	0	60		61		29	
Marshall Islands	19/01/2011	2/2	0	17	—	20	↑	18	—
Nauru	20/01/2011	1/1	0	261	↓	0	↓	0	—
New Caledonia									
New Zealand									
Niue									
Northern Mariana Islands									
Palau	19/01/2011	1/1				8	—		
Papua New Guinea									
Pitcairn Islands									
Samoa									
Solomon Islands									
Tokelau									
Tonga									
Tuvalu									
Vanuatu									
Wallis & Futuna									

Notes:

Countries are asked to email their weekly reports to WHO Fiji, Emerging Disease Surveillance and Response, at surveillance.sp@wpro.who.int

Explanation of symbols: — trend is unchanged; ↓ trend is decreasing; ↑ trend is increasing

Fever is defined as 38 °C / 100.4 °F or higher. If no thermometer is available, fever or chills reported by the patient or the caregiver are also acceptable.