

JULY 18<sup>th</sup> 2012 (Feedback on data as at 17<sup>th</sup> July 2012)

**General comment on reported syndromes:**

**A/** Evolution of raw number of cases for the 8 selected syndromes, starting one week before the beginning of the FOPA (June 25<sup>th</sup>) – see attached Charts

Graphs for All sites (all participating clinics in Honiara):

**-Acute Fever & Rash:** 4 cases reported yesterday. The general decline in raw numbers and the % of OPD patients with AFR probably indicates that the rubella outbreak in Honiara is getting under control. Since AFR cases are still reported it is advisable to take some samples to confirm the cause of the AFR.

**-Watery Diarrhoea:** 1 case reported yesterday at Mbokona. A single reported case of this syndrome should trigger (i) a follow-up by the surveillance and response teams (observance of case definition) and (ii) further laboratory and epidemiological investigations when clinical presentation is confirmed by the nurse practitioner.

**-Non-Watery Diarrhoea:** 16 cases reported yesterday. The raw number and the percentage of NWD by the total of syndromes (graph D) were higher than normal.

**-Influenza-like-illness:** 7 cases reported yesterday. This is lower than normal and as such the percent contribution by ILI drops sharply (graph D). Reports from regional and global surveillance confirm that a new A(H3N2) virus has replaced the A(H1N1)2009 pandemic strain in Australia and possibly in other places of the Southern hemisphere. These reports stress that such a new virus could easily be spreading among the non-immunized population at the occasion of the mass-gathering happening during the Festival. Laboratory investigation is of the highest importance in this instance. Some Nasopharyngeal have been taken and sent to reference lab for further investigation.

**-Prolonged Fever:** 11 cases reported yesterday, 6 which were linked with a positive Malaria Smear test.

**-Acute Fever & Neurological symptoms:** no case reported yesterday  
A single reported case of this syndrome should trigger (i) a follow-up by the surveillance and response teams (observance of case definition) and (ii) further laboratory and epidemiological investigations when clinical presentation is confirmed by the nurse practitioner (and malaria test is negative).


**-Fever & Jaundice:** no case reported yesterday. A single reported case of either of these should trigger (i) a follow-up by the surveillance and response teams (observance of case definition) and (ii) further laboratory and epidemiological investigations when clinical presentation is confirmed by the nurse practitioner.

**-Heat-related-illness:** no case reported since July 4th.


**B/** Number of cases by syndrome and by site for July 18<sup>th</sup> – see attached Charts

-12 sites ran OPD clinics yesterday  
     9 sites provided data and it is entered  
     3 sites (Diabetes clinic, King George and Panatina) provided the data but there were zero cases  
     2 sites (Rove and Kukum) had full day ANC clinics and did not see OPD patients, while 1 site (EMC) was closed

**C/ % of OPD patients with at least one of the 8 selected syndromes, starting one week before the beginning of the FOFA (June 25<sup>th</sup>)**



**D/ % of each syndrome by the total of all syndromes**



This indicator provides us with a proxy of specific morbidity. Of the 8 syndromes under surveillance it shows us the percentage that each syndrome contributes.

#### What we should expect and when should we react:

1. That ILI and prolonged fever would contribute the highest percentage due to circulating flu virus and malaria being endemic to the Solomon islands
2. Given that there was a recent rubella outbreak we also expect that AFR percentage to be fairly constant, but its contribution should decrease over time as measures have been taken to control the outbreak
3. Small percentage due to heat related illness
4. Extremely low percentage contributed by Fever and jaundice, acute fever and neurological syndromes. A single reported case of either of these should trigger (i) a follow-up by the surveillance and response teams (observance of case definition) and (ii) further laboratory and epidemiological investigations when clinical presentation is confirmed by the nurse practitioner (and malaria test is negative).
5. Small percentage contributed due to watery diarrhoea and non-watery diarrhoea. However a sharp increase in either of these should trigger (i) a follow-up by the surveillance and response teams (observance of case definition) and (ii) further laboratory and epidemiological investigations when clinical presentation is confirmed by the nurse practitioner.

#### Investigation and response

1. The FOPA National Health Sub-committee Response Team has investigated the 2 cases of **Fever and neurological symptoms** that were notified last Monday, 9<sup>th</sup> of July. Both are now ruled out (see previous daily feedback reports for 11/07 and 12/07). None of these 2 cases met any of the syndromic case definitions and have now been erased from the surveillance database.
2. Laboratory and epidemiological investigations carried out on **diarrhoea** cases (both “watery” and “non-watery”) have yielded enlightening and useful information to guide pragmatic curative and public health response measures.

Stools samples from a Solomon Islands’ 56 year old female presenting with a watery diarrhoea, notified by Rove clinic on the 11<sup>th</sup> of July, allowed for the diagnosis of multiple intestinal infestation by the NRH’s Central laboratory, i.e.: Trichuris trichura (parasite, “whip worm”), Amoeba (parasite), and red blood cells on microscopic examination; and Shigella spp (bacteria) on stools culture. Both cholera and rotavirus have been ruled out. These results are illustrative of both the water and sanitation problems prevailing in some areas of Honiara, and of the related risk of waterborne and fecal-oral transmitted diseases to which some particular urban communities of low socio-economic status are exposed to. The diagnosis shigellosis is already of substantial help for individual patients’ treatment, and will be even more after the laboratory services would have completed their investigations on the serogroup in cause and its antibiotic sensitivity. If needed, specimens will be sent to the referral L3 LabNet lab in Queensland. Laboratory and epidemiological investigations are still carried out on **diarrhoea** cases (both “watery” and “non-watery”) to ascertain diagnoses and gather more scientific and field-based evidences. Epidemiological and clinical features reviewed so far seem to indicate that there could be an etiological link between the currently notified cases of diarrhoea and the outbreak that occurred in Honiara and Western Province late last year, as reported at the time to the Regional Syndromic Surveillance System – though the causal agent remained unknown at that time.

3. The isolated case of **Fever and jaundice** notified last Sunday (8/07) by Rove clinic has been investigated by the Health Sub-committee’s Response Team. The patient was a 22 year old male from Solomon Islands who had been referred to NRH where he had been treated for pneumonia on an outpatient basis. After investigation, this case has been classified as a case of pneumonia due to *Streptococcus pneumoniae*, treated with procaine penicillin and discharged.
4. Two female suspected cases of dengue from the delegation of Niue, notified as **Heat related illness** syndromes by Panatina clinic and admitted to the NRH’s isolation ward on the 3<sup>rd</sup> of July are still under investigation. Both patients have been since discharged in good condition. Initial laboratory investigations conducted on only one of them yielded negative results for dengue RDT (NS1, IgM and IgG). Additional blood samples have been collected on Friday 13/07 on both patients for further lab

examination, and epidemiological investigations have been completed to assess the risk of viral importation into Solomon Islands.

**Conclusion/recommendations:**

- All overseas delegations have now departed. The provincial delegates will leave by the end of the week.
- A 22 year old female came in on Sunday to NRH A&E with acute fever and jaundice and died. This was reported by Dr. Roger on Monday afternoon after doing a post mortem on her. There was clinical suspicion of leptospirosis on her clinical notes and post mortem blood has been taken for testing for leptospirosis, hepatitis and other possible causes. She tested negative for leptospirosis and hepatitis. No definite diagnosis has been made yet.
- Investigate the 1 case of watery diarrhoea at Mbokona.
- The Nauruan delegate that presented with AFR to KG VI had his bloods taken on Monday and results will soon be shared.

Field and laboratory investigations of **Watery** and **Non-watery Diarrhoea** cases have yielded useful and illustrative results to guide pragmatic curative and public health response measures. *Shigella spp* has been isolated from the culture of stools samples of one adult Solomon Islands' patient. Parasites have also been identified by microscopic examination. These results are illustrative of both the water and sanitation problems prevailing in some areas of Honiara, and of the related risk of waterborne and fecal-oral transmitted diseases to which some particular urban communities of low socio-economic status are exposed to. Altogether the numbers of **diarrhoea** cases remain relatively high, largely among young children under 5 years old.

Laboratory samples are being collected for cases of **Acute Fever & Neurological symptoms** and **Prolonged Fever** (for malaria smear-negative) to document diagnoses in view of confirming the decline of the rubella outbreak and to watch out for the emergence of dengue in Solomon Islands. Nasopharyngeal swabs are also collected from **ILI** patients for influenza surveillance.

The case of **Acute Fever & Jaundice** notified on the 8<sup>th</sup> of July has been classified as a case of pneumonia due to *Streptococcus pneumoniae*, after investigation. The 2 cases of **Acute Fever & Neurological symptoms** notified on Monday 9<sup>th</sup> of July have now been investigated and ruled out. Epidemiological and laboratory investigations of two female suspected cases of dengue from the delegation of Niue, notified as **Heat related illness** syndromes on the 3<sup>rd</sup> of July are still on-going. Initial laboratory investigations conducted on only one of them yielded negative results for dengue RDT (NS1, IgM and IgG). Additional blood samples have been collected on Friday 13/07 on both patients for further lab examination, and epidemiological investigations have been completed to assess the risk of viral importation into Solomon Islands.

*GPHIN 2012 Festival of Pacific Arts report (July 16):*

*Australia: Queensland Health has issued a measles warning to people who visited Westfield Chermiside on July 12, 2012 or the Brisbane Airport's domestic terminal on July 13, 2012. The warning follows confirmation that a person with measles visited both venues. This is the second measles alert Queensland Health has issued in recent months after the department warned of possible exposures after an infected patient visited South Bank and Garden City in May 2012.*

*GPHIN 2012 Festival of Pacific Arts report (July 16):*

*New Zealand: "July 17: South Canterbury District Health Board had 233 cases per 100,000 people for the week, just two below the Canterbury District Health Board. The national average at this time last year was 49 people per 100,000. Influenza- like illness had risen over the last two weeks and swabs have confirmed it is influenza H3N2."*