

## Pacific Syndromic Surveillance -- weekly report

Year: 2011

Week: 1

ending 9-Jan-2011

Country	Last update received	No. of sites reporting / total no. of sites	Acute fever and rash (AFR)	Diarrhoea		Influenza-like illness (ILI)		Prolonged Fever	
			Sudden onset of fever with acute nonblistering rash	3 or more loose or watery stools in 24 hrs	Trend	Sudden onset of fever, plus: cough and/or sore throat	Trend	Any fever lasting 3 days or longer	Trend
American Samoa	11/01/2011	1/1	0	11	↑	0	↓	2	↓
Cook Islands	11/01/2011	1/1	0	0	—	0	—	0	—
Fed. States of Micronesia	11/01/2011	2/2	0	10	↑	4	—	0	—
Fiji	12/01/2011	2/14	22	64		29		20	
French Polynesia	13/01/2011	13/30		25	—	62	—	1	—
Guam	11/01/2011	1/1		6	—	3	↓		
Kiribati	13/01/2011	14/14	0	804	↑	597	↑	273	↑
Marshall Islands	12/01/2011	2/2	0	18	—	12	—	19	—
Nauru	13/01/2011	1/1	0	296	↑	2	—	0	—
New Caledonia									
New Zealand									
Niue									
Northern Mariana Islands									
Palau	12/01/2011	1/1				6	↓		
Papua New Guinea									
Pitcairn Islands									
Samoa									
Solomon Islands									
Tokelau									
Tonga									
Tuvalu	12/01/2011	1/1	0	2	↑	6	↑	0	—
Vanuatu									
Wallis & Futuna									

Notes:

Countries are asked to email their weekly reports to WHO Fiji, Emerging Disease Surveillance and Response, at [surveillance.sp@wpro.who.int](mailto:surveillance.sp@wpro.who.int)

Explanation of symbols: — trend is unchanged; ↓ trend is decreasing; ↑ trend is increasing

Fever is defined as 38 °C / 100.4 °F or higher. If no thermometer is available, fever or chills reported by the patient or the caregiver are also acceptable.