

## Pacific Syndromic Surveillance -- weekly report

Year: 2011

Week: 4

ending 30-Jan-2011

Country	Last update received	No. of sites reporting / total no. of sites	Acute fever and rash (AFR)	Diarrhoea		Influenza-like illness (ILI)		Prolonged Fever	
			Sudden onset of fever with acute nonblistering rash	3 or more loose or watery stools in 24 hrs	Trend	Sudden onset of fever, plus: cough and/or sore throat	Trend	Any fever lasting 3 days or longer	Trend
American Samoa	1/02/2011	1/1	0	18	↑	1	↑	2	—
Cook Islands	1/02/2011	1/1	0	2	—	0	—	0	—
Fed. States of Micronesia	31/01/2011	2/2	0	5	↓	7	↓	0	—
Fiji	2/02/2011	3/14	4	44	↓	70	↓	7	↑
French Polynesia	3/02/2011	23/30		52	↑	76	↑	3	—
Guam	2/02/2011	1/1		7	↑	13	↑		
Kiribati	2/02/2011	1/1	1	67	↑	104	↑	41	↑
Marshall Islands	3/02/2011	2/2	1	20	—	15	↓	15	↓
Nauru	3/02/2011	1/1	0	26	↓	0	—	0	—
New Caledonia									
New Zealand									
Niue	2/02/2011	1/1	0	0	—	0	—	0	—
Northern Mariana Islands									
Palau	2/02/2011	1/1				11	—		
Papua New Guinea									
Pitcairn Islands									
Samoa									
Solomon Islands									
Tokelau									
Tonga									
Tuvalu	3/02/2011	1/1	0	3	—	37	↑	0	—
Vanuatu									
Wallis & Futuna									

Notes:

Countries are asked to email their weekly reports to WHO Fiji, Emerging Disease Surveillance and Response, at [surveillance.sp@wpro.who.int](mailto:surveillance.sp@wpro.who.int)

Explanation of symbols: — trend is unchanged; ↓ trend is decreasing; ↑ trend is increasing

Fever is defined as 38 °C / 100.4 °F or higher. If no thermometer is available, fever or chills reported by the patient or the caregiver are also acceptable.